WEST Search History

Hide Items Restore Clear Cancel

DATE: Sunday, February 17, 2008

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count
	DB=I	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=NO; OP=OR	
	L33	L31 and ACPI	20
	L32	L31 and (parameter\$1 with buffer\$1)	6
	L31	L30 and (aml or (machine adj language\$1))	276
	L30	(SMBus or bus or (system adj3 bus)) with event\$1	13511
	DB=B	PGPB,USPT; THES=ASSIGNEE; PLUR=NO; OP=OR	
	L29	L28 and (parameter\$1 with buffer\$1)	12
	L28	L27 and (event\$1 near3 (handl\$ or notif\$))	292
	L27	L22 AND (AML or ACPI)	1500
	L26	L24 and (aml or (machine adj language\$1))	3
	L25	L24 and (ACPI)	16
	L24	L23 and (SMBus or (system adj3 bus)) with event\$1	168
	L23	L22 and (event\$1 near3 (handl\$ or notif\$))	17805
	L22	719/\$.CCLS. OR 718/\$.CCLS. OR 717/\$.CCLS. OR 710/\$.CCLS. OR 709/\$.CCLS. OR 713/\$.CCLS. or 714/\$.ccls. 719/\$.CCLS. OR 718/\$.CCLS. OR 717/\$.CCLS. OR 715/\$.CCLS. OR 709/\$.CCLS. OR 707/\$.CCLS. or 705/\$.ccls.	305673
	L21	L18 and (AML or ACPI)	16
	L20	L19 not 117	26
	L19	L18 and (SMBus or (system adj3 bus)) with event\$1	26
	L18	(710/100,110)![CCLS]	2364
	L17	L16 not l15	20
	L16	L10 and (AML or ACPI)	22
	L15	L14 not l12	40
	L14	L10 and (parameter\$1 with buffer\$1)	48
	L13	L10 and (three adj parameter adj buffer\$1)	1
	L12	L11 not 16	37
	L11	L10 and (((system adj3 bus) or MSBus or bus) near3 event\$1)	38
	L10	L9 and (event\$1 near3 (handl\$ or notif\$))	894
	L9	(719/310,318,319,320,321,322,327)![CCLS]	3233
	L8	((SMBus or (system adj3 bus)) and event\$1 and handl\$ and parameter\$1 and buffer\$1 and ACPI).clm.	0
	L7	((SMBus or (system adj3 bus)) and event\$1 and handl\$ and parameter\$1 and buffer\$1 and Aml).clm.	1
	L6	((SMBus or (system adj3 bus)) and event\$1 and handl\$ and parameter\$1 and buffer\$1 and read\$).clm.	37

Search	History	Transcript	Page 2 of 2
⁴ . □	L5	((SMBus or (system adj3 bus)) and (event adj handler\$1) and parameter\$1 and buffer\$1 and read\$).clm.	1
	L4	((SMBus or (system adj3 bus)) and (event adj handler\$1) and parameter\$1 and three and buffer\$1 and read\$).clm.	1
	L3	(((machine adj language) or AML) and (SMBus or (system adj3 bus)) and (event adj handler\$1) and parameter\$1 and three and buffer\$1 and read\$).clm.	1
	L2	(AML and SMBus and ACPI\$1).clm.	0
	L1	(SMBus and notification\$1).clm.	1

END OF SEARCH HISTORY

Sign in

<u>Google</u>

ACPI and MSBUS

Advanced Search Search Preferences

The "AND" operator is unnecessary - we include all search terms by default. [details]

Web

Results 1 - 2 of 2 for ACPI and MSBUS. (0.15 seconds)

Did you mean: ACPI and MS BUS

ConfigTool 1.3.0 database - DEVICES

MSBUS\$ for Microsoft Bus-Mouse, Driver: NONE The reason for it is that HLT corresponds to ACPI "C1" level of CPU operation (CPU still connected to ... www.os2world.com/goran/cfgtool/cfgdat06.htm - 216k - Cached - Similar pages

The Config.sys Documentation Project/DEVICE Statements - EDM2 TIP: When OS/2 fails to install in ACPI only Systems REM this driver (has to be done on the SYS; MSBUS\$ for Microsoft Bus-Mouse, Driver: NONE ... www.edm2.com/index.php/The_Config. sys_Documentation_Project/DEVICE_Statements - 567k - Cached - Similar pages

Did you mean to search for: ACPI and MS BUS

ACPI and MSBUS

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve | Try Google Experimental

©2008 Google - Google Home - Advertising Programs - Business Solutions - About Google

Web Images Maps News Shopping Gmail more . Sign in

Google

AML and MSBUS

Advanced Search Search

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web

Results 1 - 8 of 8 for AML and MSBUS. (0.22 seconds)

Did you mean: AML and MS BUS

ProductDetails

west.thomson.com/store/databasesincluded.aspx?product_id=40307659 - 250k -

Cached - Similar pages

[PDF] •A; AGENDA Orange County Government • Board of County ...

File Format: PDF/Adobe Acrobat - View as HTML

MSBUs. 2. Falcon. Trace. Area-Falcon. Trace. Unit. 8,. amend. for. streetlighting,.

District. 4 3. Andover. Cay. Phases ...

orangecountyfl.net/eAgenda/archive/Agenda_04-08-03/Agenda_04-08-03.pdf -

Similar pages

p*p**p*p**/G/GBBBB****@A C ÉBK**BERLIN 3739 LQUUKOYPUahYD<?IRS ...

File Format: Unrecognized

MSBUS<E

[PSIC7DGEOXSXHFH7AFRENCOO@EUK>A=HGBFDPNLIGKCPNUXSF6BGOJEUVPY

[OG5ANBLA=BF@ NNK>HD<8LRe\:ST<MOfZ<GSI>AML]TfLOE@GRMO_BB

[JHUPKFD7FWT@FFJOUILHFH ...

emlab.rose2.brandeis.edu/grigorieff/downloads/b3739.pic - Similar pages

Näherungsweise Berechnung der Zustände in Wasserspeichern mit ...

Vergr6Bert (bzw. verkleinert) man mL0 um Aml, o (bzw. -- AmLO), so folgt der

Luftpartialdruck [25] MSbus, W.: Eine schwere Speieherlokomotive,. Ver- ...

www.springerlink.com/index/X828L42184512QG8.pdf - Similar pages

MIME-Version: 1.0 Content-Type: multipart/related; boundary ...

MIME-Version: 1.0 Content-Type: multipart/related; boundary="--

=_NextPart_01C5FFE2.AD83E080" This document is a Single File Web Page, also

known as a Web ..

www.isahu.com/.../Session5/

StateEffortsToImproveHealthCareQuality_ChuckMilligan.mht - 250k -

Cached - Similar pages

[GZIP] SIMPLE = T / Written by IDL: Thu Apr 11 10:08:38 2002 BITPIX = 16 ...

File Format: Gzip Archive - View as HTML

SIMPLE = T / Written by IDL: Thu Apr 11 10:08:38 2002 BITPIX = 16 /Integer*2

(short integer) NAXIS = 2 / NAXIS1 = 768 / X Size of image NAXIS2 = 768 / Y ...

sohowww.nascom.nasa.gov/data/synoptic/

fits/020408/trac WL a1 20020408 051302.fts.gz - Similar pages

and c cause \$100-a-plate dinner &c 'Abo 'Alborg 'Alesund 'Angstr ...

and c cause \$100-a-plate dinner &c 'Abo 'Alborg 'Alesund 'Angstr 'Arhus 'Arriet 'Arry

'Arryish 'Tis Pity She's a Whore 'arry 'cello 'd 'em 'epatant 'etag ...

www.puzzlers.org/pub/wordlists/allwords.txt - 250k - Cached - Similar pages

SIMPLE = T BITPIX = 16 NAXIS = 2 NAXIS1 = 512 NAXIS2 = 512 EXPOSE ...- [Translate this page]

SIMPLE = T BITPIX = 16 NAXIS = 2 NAXIS1 = 512 NAXIS2 = 512 EXPOSE =

120000 DATE-OBS= '04/02/102' TIME-OBS= '04:22:31' ORIGIN = 'PMIS Image

Processing ...

www.cora.nwra.com/~biff/OHdata/2002/20204/02040422.i31 - 250k -

Cached - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 8 already displayed. If you like, you can repeat the search with the omitted results included.

Did you mean to search for: AML and MS BUS

AML and event and buffer and parameter

Search Advanced Search Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web

Results 1 - 10 of about 76,400 for AML and event and buffer and parameter. (0.28 seconds)

SMbus notifications - Patent EP1347380

The system of claim 4, where the **AML** event handler employs a three parameter buffer access read method to read data from an operation region associated with ... www.freepatentsonline.com/EP1347380.html - 58k - <u>Cached</u> - <u>Similar pages</u>

EP1347380 Microsoft european software patent - Smbus notifications ... The example three parameter buffer write methods 280 facilitate the AML event handler 210 accessing the SMBus via the buffer 260. ... gauss.ffii.org/PatentView/EP1347380 - 65k - Cached - Similar pages

Notebook Hardware Control (NHC) - Advanced information

Buffer in the source language file (ASL) ACPI Source Language (ASL)

DefinitionBlock ("DSDT.aml", "DSDT", 1, "INTEL ", "ALVISO ", 100925440) ...

www.pbus-167.com/nhc/nhc_advanced.htm - 80k - Cached - Similar pages

[PPT] The Automated Planning and Scheduling Environment (ASPEN ... File Format: Microsoft Powerpoint - View as HTML These include the SSR buffers, the S and K band inview/outview times, playback lockout times, and the day/night events. Separate parameters are used to ... aaaprod.gsfc.nasa.gov/teas/ASPENTEA.ppt - Similar pages

ACPI for 2.6.11 [LWN.net]

Fixed a problem with the Mid() ASL/AML operator where it did not work correctly on Buffer objects. Newly created sub-buffers were not being marked as ... lwn.net/Articles/121359/ - 19k - Cached - Similar pages

[PDF] arXiv:hep-ex ...
File Format: PDF/Adobe Acrobat - <u>View as HTML</u> **buffer** would get disassembled into individual **events**. which got injected into the pool, fore the use of the **AML**, **buffers** to be written out ...
arxiv.org/pdf/hep-ex/0305103 - <u>Similar pages</u>

European Journal of Cancer: A possible role for methotrexate in ... Childhood acute myeloid leukaemia (AML) has an event-free survival (EFS) of 25–50% ... This anion-free buffer has been designed to measure maximal reduced ... linkinghub.elsevier.com/retrieve/pii/S0959804900004330 - Similar pages

IDOCI ACPI Driver Interface in Windows Vista

File Format: Microsoft Word - <u>View as HTML</u>
Control methods are written in the ACPI Machine Language (**AML**) and are ... The **buffer** size is stored in the OutBufferSize field of the IRP context. ... download.microsoft.com/download/0/0/b/00bba048-35e6-4e5b-a3dc-36da83cbb0d1/ACPIDriver Vista.doc - Similar pages

Blackwell Synergy - Br J Haematol, Volume 119 Issue 4 Page 988-990 ... We showed in this study that promoter methylation of CEBPA was an infrequent event in AML and appeared to be restricted to the M2 subtype. ... www.blackwell-synergy.com/doi/abs/10.1046/j.1365-2141.2002.03952.x - Similar pages

A structural framework for modeling multi-stage network attacks ... buffer overflo w exploit to execute arbitrary code. As a direct Attacks in the AML have parameters that specify the. context in which the attack takes ... ieeexplore.ieee.org/iel5/8062/22290/01039705.pdf - Similar pages

Images Maps News Shopping Gmail more •

Sign in

<u>Google</u>

AML and event and buffer and parameter

Advanced Search Search **Preferences**

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web

Results 11 - 20 of about 76,400 for AML and event and buffer and parameter. (0.13 seconds)

Next

Volinia,S

An independent set of 60 untreated AML patients was used to validate the ... in hybridization buffer positively affected hybridization parameters and ... lib.bioinfo.pl/auth:Volinia,S - 54k - Cached - Similar pages

Matrox Imaging Library - Free Downloads

Features: live video display: set parameters, scroll and zoom, graphics overlay, ring buffer, video codec support, trigger support and supports multiple ... matrox-imaging-library.safe-install.com/ - 20k - Cached - Similar pages

Predictive values of X-chromosome inactivation patterns and ...

Hypertension was significantly correlated with thrombotic events (P = .002), ET can evolve into acute myeloid leukemia (AML) or myelofibrosis 25,26 ... www.bloodjournal.org/cgi/content/full/100/5/1596 - Similar pages

A long list of non-paged pool reference IDs which is handy when

Ami* - - ACPI AMLI Pooltags APIC - pnpapic.sys - I/O APIC Driver KSpp - - irp system buffer property/method/event parameter ... blog.tiensivu.com/aaron/archives/10-A-long-list-of-non-paged-pool-reference-IDswhich-is-handy-when-searc... - 124k - Cached - Similar pages

System and method for loading an advanced configuration and power ...

An ACPI Driver/ACPI Machine Language (AML) interpreter 118 is responsible for the parsing and ... loaded from an input buffer, or some combination thereof. ... www.patentstorm.us/patents/7007160-description.html - 37k -Cached - Similar pages

New ACPI source release (20010201)

3) Output the AML in raw hex table form, in either C or ASM. Implemented support for optional string parameters to the LoadTable operator. ... lwn.net/2002/0207/a/acpi.php3 - 9k - Cached - Similar pages

[PDF] Using UML for Automatic Test Generation

File Format: PDF/Adobe Acrobat - View as HTML

is a list of variables in which the received parameters are stored, buffer the. name of the buffer from which the event will be read. ...

web.comlab.ox.ac.uk/oucl/research/areas/softeng/TACAS2002.pdf - Similar pages

plus parameter name with and value if appropriate

FB The frame buffer device is enabled. HW Appropriate hardware is enabled. ... force serialization of AML methods acpi_skip_timer_override [HW,ACPI] ... stanton-finley.net/kernel-parameters.txt - 45k - Cached - Similar pages

British Journal of Haematology - Fulltext: Volume 114(2) August ...

The 50 µl PCR reaction mix contained 5 µl of 10x PCR buffer, 4.5 mmol/l MgCl 2, ... The scatter diagram illustrates WT1 mRNA expression levels of AML, ALL, ... pt.wkhealth.com/pt/re/bjha/fulltext.00002328-200108020-00010.htm - Similar pages

Oncogene - Stem cells, aging, and cancer: inevitabilities and outcomes

Studies of human AML have begun to define the genetic alterations and respect to key parameters of early hematopoietic cells (Van Zant et al., 1983). ... www.nature.com/onc/journal/v23/n43/full/1207949a.html - Similar pages

Previous 1 2 3 4 5 6 7 8 9 1011

Web Images Maps News Shopping Gmail more -

Google

AML and event and buffer and parameter

Advanced Search Search

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web

Results 21 - 30 of about 76,400 for AML and event and buffer and parameter. (0.09 seconds)

Membrane Structure: Spin Labeling and Freeze Etching of Mycoplasma ... aml)hiphilic. molecules perpendicular. to. the membrane surface.8 physical parameters than those in. most. of the membrane. The freeze-etch ... www.pnas.org/cgi/reprint/66/3/909.pdf - Similar pages

Reactivity of Platelets from Healthy Individuals and from Patients ... was diluted 1:10 with phosphate buffer containing gly-. cine (without glyoxal or pformaldehyde). ... there were 95% of all GP1b-positive events. All events ... content.karger.com/ProdukteDB/produkte.asp?Aktion=ShowPDF& ProduktNr=224034&Ausgabe=225871&Art... - Similar pages

Waterlogged Area Analysis with ArcInfo

An ARC Macro Language (AML) script integrated the thematic maps based on criteria defined for all six parameters. The composite map, derived using this AML,

www.esri.com/news/arcuser/1001/roorkee.html - 16k - Cached - Similar pages

fxr.watson.org: sys/Documentation/kernel-parameters.txt 575 576 specialix= [HW,SERIAL] Specialix multi-serial port adapter. 577 578 sscape= [HW,SOUND] 579 580 st= [HW,SCSI] SCSI tape parameters (buffers,

fxr.watson.org/fxr/source/Documentation/kernel-parameters.txt?v=linux-2.4.22 - 86k - Cached - Similar pages

E-Cadherin Expression Is Silenced by 5' CpG Island Methylation in ... In this report, we found that aberrant methylation of the E-cadherin promoter is a frequent event in both AML and ALL. We used a nested-MSP approach that ... clincancerres.aacrjournals.org/cgi/content/full/6/11/4243 - Similar pages

Molecular emergence of acute myeloid leukemia during treatment for ... One is that the topoisomerase II inhibitors directly caused the translocation event. That 70% of t-AML cases associated with the use of topoisomerase II ... www.pubmedcentral.nih.gov/articlerender.fcgi?artid=56962 - Similar pages

rem rem Pooltag.txt rem rem This file lists the tags used for pool ... afd.sys - AFD objects AfdA - afd.sys - Afd EA buffer AfdB - afd.sys - Afd event deletion dpc KSep - <unknown> - irp system buffer event parameter KSew ... filedb.experts-exchange.com/incoming/2008/01_w04/1250/pooltag.txt - 98k -Cached - Similar pages

Windows NT Kernel memory pool tags

Ami*, ACPI AMLI Pooltags. AoE*, aoebus.sys, ATA over Ethernet driver KSpp, irp system buffer property/method/event parameter ... alter.org.ua/en/docs/win/pooltag/ - 209k - Cached - Similar pages

Module Name: exoparg3 - AML execution - opcodes with 3 arguments ... In the * event Licensee exports any such software from the United States or The Source operand is guaranteed to be * either a String or a Buffer, ... www.slickbsd.org/fr/logiciel/cdrom/ binary/usr/src/sys/dev/acpi/acpica/Subsystem/exoparg3.c - 13k -Cached - Similar pages

GIS, CAD, and mapping daily news provided by Spatial News ARC/INFO is highly automatable through AML. Even though the processing time is orders of ... Get the coordinates for the quad box and add a 100-meter buffer ... spatialnews.geocomm.com/education/tutorials/drgprocessing1/ - 40k -Cached - Similar pages

Images Maps News Shopping Gmail more -Web

Sign in

Google

AML and event and buffer and parameter

Advanced Search Search **Preferences**

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web

Results 31 - 40 of about 76,400 for AML and event and buffer and parameter. (0.28 seconds)

[PDF] SMBus-Driver External Arch.doc File Format: PDF/Adobe Acrobat - View as HTML resident in AML on the platform perform the actual interfacing with the SMBus required length of the input buffer. Irp->Parameters.DeviceIoControl. ... smbus.org/specs/smbus_driver_ext_arch10.pdf - Similar pages

ACPI-to-HID Mapper Driver: Standardizing the Connection Between ... This AML code can contain subroutines, called ACPI control methods, ... to ensure they agree on the names and parameters of the ACPI control methods. ... www.intel.com/technology/magazine/computing/ACPI-to-HID-1006.htm - 51k -Cached - Similar pages

[PDF] FIt3 receptor tyrosine kinase in AML and its modulation of the p53 ... File Format: PDF/Adobe Acrobat - View as HTML one induction cycle is a favorable prognostic parameter. and is associated with decreased risk of later AML relapse. [1,2]. Induction therapy causes rapid ... https://bora.uib.no/bitstream/1956/2453/1/Dr_%20Avh_%20Line_Wergeland.pdf -Similar pages

(WO/2005/045432) METHOD FOR DISTINGUISHING PROGNOSTICALLY ... In contrast, in AML-NK prognostication may at present be accomplished best by using phenotypic and treatment-dependent parameters like burden of disease at ... www.wipo.int/pctdb/en/wo.jsp?IA=EP2004012367&DISPLAY=DESC - 113k -Cached - Similar pages

Actimize Signs Akbank - Security News Wire - Dark Reading Sep 17, 2007 ... LIVE EVENT: Docsis 3.0 Strategies: From Product The Actimize Anti-Money Laundering suite provides complete end-to-end compliance ... www.darkreading.com/document.asp?doc_id=134092 - 135k -Cached - Similar pages

The t(8;21) Fusion Protein Interferes with AML-1B-Dependent ... following parameters: 94 C for 1.5 min, 50 C for 2 min, and 72 C for 3 min for ... buffer prior to immunoprecipitation with the anti-AML-1 serum. ... mcb.asm.org/cgi/reprint/15/4/1974.pdf - Similar pages

THE DESIGN AND EVALUATION OF THE ARRAY MACHINE: A HIGH-LEVEL ... is convenient to set the buffer length, a machine para-. meter, to a multiple of the IM interleaving, also a. machine parameter. ... portal.acm.org/citation.cfm?doid=641675.642110 - Similar pages

Phase I Study of Oblimersen Sodium, an Antisense to Bcl-2, in ... Acute myeloid leukemia (AML) is characterized by maturation arrest and After addition of 200 µL of lysis buffer (10 mmol/L Tris-HCl, pH 8.0; ... www.jco.org/cgi/content/full/23/15/3404 - Similar pages

A Xenopus homologue of aml-1 reveals unexpected patterning ... sodium phosphate buffer (pH 6.3). The color reaction was performed a parameter that was not appreciated in previous studies. The ... dev.biologists.org/cgi/reprint/125/8/1371.pdf - Similar pages

Leukemia Research: Ribosomal p70S6K basal activity increases upon ... Similar results were obtained with AML-14.3D10 and with dHL-60 (not shown). Thus, the events observed in p70S6K for the two different stages of maturation ... linkinghub.elsevier.com/retrieve/pii/S0145212603004077 - Similar pages

Web Images Maps News Shopping Gmail more .

<u>Google</u>

AML and event and buffer and parameter

Advanced Search Search

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web

Results 41 - 50 of about 76,400 for AML and event and buffer and parameter. (0.11 seconds)

ArtistX - eXtra ordinary art tools - ArtistX BOOT Parameters acpi serialize [HW,ACPI] force serialization of AML methods acpi_skip_timer_override [HW,ACPI] st= [HW,SCSI] SCSI tape parameters (buffers, etc.) ... www.artistx.org/site/artistx-dvd/artistx-boot-parameters.html - 82k -Cached - Similar pages

Linux Headquarters - Kernel v2.6.18 / Documentation/kernel ... diff -git a/Documentation/kernel-parameters.txt ... [HW,ACPI] empty param disables OSI acpi_serialize [HW,ACPI] force serialization of AML methods @@ -176 ... www.linuxhq.com/kernel/v2.6/18/Documentation/kernel-parameters.txt -Similar pages

Linux Kernel Documentation :: kernel-parameters txt 1942 Some badly-designed motherboards generate lots of 1943 bogus events, for ports that aren't wired to 1944 anything. Set this parameter to avoid log ... www.mjmwired.net/kernel/Documentation/kernel-parameters.txt - 199k -Cached - Similar pages

An event-based, robot-served flexible manufacturing cell modeller AML require the user to write a set of complex source, programs in English-like statements. This event-oriented. method, however, requires the user to ... www.springerlink.com/index/NT50043702RX8822.pdf - Similar pages

Summary of changes from v2.6.8 to v2.6.9 ... Improved the AML debugger output for displaying the GPE blocks and their current Remove backoff parameter. The reason it was once introduced is gone.

www.kernel.org/pub/linux/kernel/v2.6/ChangeLog-2.6.9 - 977k -Cached - Similar pages

Blackwell Synergy - Eur J Haematol, Volume 76 Issue 1 Page 23-32 ... The distribution of hypermethylation events in early (RA and RARS) vs. advanced (RAEB, RAEB-t, and MDS/AML) MDS is shown in Fig. 2. For all four genes, ... www.blackwell-synergy.com/doi/abs/10.1111/j.1600-0609.2005.00559.x -Similar pages

CARES - Papers - Economic and Environmental Impact Assessment ... For example, if the end user decides to place a 100 foot riparian buffer strip on crop production along a stream, a number of input parameters need to be ... www.cares.missouri.edu/about/presentations/hicss-32/index.html - 65k -Cached - Similar pages

[PDF] XCP on FlexRay

File Format: PDF/Adobe Acrobat

An LPDU_ID parameter of a specific buffer can be non-configurable. The XCP on FlexRay There are no specific events for XCP on FlexRay at the moment. ... www.asam.net/doc int/getfile/getfile.php?id=376&memberlogin= - Similar pages

1996;14;725-729 Stem Cells I. Anagnostopoulos, Vasiliki Grigoraki ... with AML and one of the four cases (25%) with CML. ... pathological parameters such as favorable prog- ... the ras family genes is a frequent event, and ... stemcells.alphamedpress.org/cgi/reprint/14/6/725.pdf - Similar pages

British Journal of Haematology - Fulltext: Volume 100(1) January ... In AML, MDR mechanisms are heterogenous and have been linked with the ... and hepes buffer (both from Sigma) and rested at 37 degrees C for 90 min. ... pt.wkhealth.com/pt/re/bjha/fulltext.00002328-199801000-00029.htm - Similar pages Web Images Maps News Shopping Gmail more -

Google

AML and event and buffer and parameter

Advanced Search Search

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web

Results 51 - 60 of about 76,400 for AML and event and buffer and parameter. (0.09 seconds)

Role of Folylpolyglutamate Synthetase and Folylpolyglutamate ... Patient Characteristics and MTX Polyglutamylation Parameters in AML Subgroups ... length 12.5 cm, particle size 5 µm) running 4 minutes with 98% buffer www.bloodiournal.org/cgi/content/full/93/5/1677 - Similar pages

IPDFI BMT CTN Protocol 0303, AML T cell Depletion

File Format: PDF/Adobe Acrobat

Human Serum Albumin (HSA) (CliniMACS buffer) and stored in a monitored Supportive care parameters standardized for this protocol are detailed below. ... https://web.emmes.com/study/bmt/protocol/0303_protocol/0303_Protocol_v_7.0.pdf -Similar pages

(PDF) AML 15

File Format: PDF/Adobe Acrobat - View as HTML mg (2 mg/ml) with saline and a buffer of sodium acetate and acetic acid. Pharmacokinetic parameters for intravenous (iv) CEP-701 are similar in rats .. www.download.bham.ac.uk/bctu/AML15/AML15%20Protocol%20Version%206.pdf -Similar pages

Leukemia - Quantification and cytokine production of circulating ... Experimental studies of the mechanisms of immune tolerance to AML have led to novel Comparing one-parameter histogram plots for each cell subset, ... www.nature.com/leu/journal/v17/n4/full/2402835a.html - Similar pages

Comparative proteomic analysis of hypoxia-treated and untreated ... entiation of human AML cells via hypoxia-inducible factor 1. alpha (HIF-1a) protein, ... 250 mM sucrose, pH 7.0), and dissolved in lysis buffer con- ... doi.wiley.com/10.1002/pmic.200500754 - Similar pages

Suffield Approve RESOLUTION

The Applicant shall plant a forested buffer serving as a visual screen as ... with the Health Department to determine basic design parameters such as flows. ... fauquiercounty.gov/government/departments/BOS/pastagendas/05-20-02/suffieldresapprove.htm - 43k - Cached - Similar pages

Method for distinguishing AML subtypes with aberrant and ... Median event-free survival (EFS) was 3.1 months and median overall survival (OS) was 20.7 months. The clinical parameters age, WBC count, hemoglobin level, ... www.freepatentsonline.com/EP1530046.html - 79k - Cached - Similar pages

JSTOR: Protein-Solvent Preferential Interactions, Protein ... Therefore, molecularly, (amL/amP)IL has contributions of both cosolvent and water ... The parameters BL and Bw are not thermodynamic quantities (14), .. links.jstor.org/sici?sici=0027-8424(20020723)99%3A15%3C9721%3APPIPHA% 3E2.0.CO%3B2-0 - Similar pages

Offline Shifter Guidelines & Reference Cards

Buffer boxes and HPSS: The free space is shown on the upper right display Check the aml status (lower left display of the 4 displays on top of the daq ... www.phenix.bnl.gov/WWW/run/04/shift_offl/index.html - 45k - Cached - Similar pages

Mixed Analog-Digital Simulation

existing workstations through the novel AML. Areas for future enhancements include automatic. cell-model verification. and parameter extraction, ... doi.ieeecomputersociety.org/10.1109/40.57729 - Similar pages

Web Images Maps News Shopping Gmail more .

Google

AML and event and buffer and parameter

Advanced Search Search Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web

Results 61 - 70 of about 76,400 for AML and event and buffer and parameter. (0.06 seconds)

Smad and AML Proteins Synergistically Confer Transforming Growth ... In Vivo AML/Smad Binding Assay-Fifteen hours after transfec-. tion, K562 or DG75 cells were lysed in 1 ml of lysis buffer (50 m. M. Tris-HCl, pH 8, 150 m ... www.jbc.org/cgi/reprint/275/5/3552.pdf - Similar pages

Natural Killer Cell Precursor Acute Lymphoma/Leukemia Presenting ... Antigen retrieval by microwave procedure in citric acid buffer (10 mM, pH 6.0) for 10 CD56 expression has been reported in approximately 20% of AML, ... arpa.allenpress.com/arpaonline/?request=get-document&doi=10.1043%2F0003-9985(2001)125%3C0413:NKCPAL%3... - Similar pages

Linux-2.6.17/drivers/acpi/hotkey.c

... event or polling based hotkey */ 105 int hotkey standard num; /proc/acpi/action 934 * Just support 1 integer arg passing to AML method 935 */

www.gelato.unsw.edu.au/lxr/source/drivers/acpi/hotkey.c - 151k -Cached - Similar pages

1475-2867-5-21 1475-2867 Primary research Functional and ... Cells were washed with PBS, resuspended in 400 µl of binding buffer (10 mM Hepes/NaOH, These included AML-2 an acute myelogenous leukemia cell line, ... www.biomedcentral.com/content/download/xml/1475-2867-5-21.xml - 105k -Cached - Similar pages

LKML: "Brown, Len": git pull request on Linux/ACPI release tree This code is shared by both the Resource Manager and the AML Debugger. ... CPU stack use has been decreased by optimizing function parameters and local ... Ikml.org/Ikml/2006/1/24/281 - 54k - Cached - Similar pages

University of Chicago Press - Mapping of Valvular Dystrophy to ... Since incorrect parameters for linkage analysis may give false results, positive LOD ... it was of interest to check whether a single mutation event—namely, ... www.journals.uchicago.edu/cgi-bin/resolve?9497244 - Similar pages

[PS] The Data Access Layer for D0 Run II: Design and Features of SAM File Format: Adobe PostScript - View as Text including a detailed event catalog for raw detector data, and other selected data files, and storage. of parameter files 3) data-query-driven data file ... home.fnal.gov/~veseli/Publications/Proceedings/CHEP_00/chep_00.ps -Similar pages

E-Cadherin Expression Is Silenced by 5 CpG Island Methylation in ... lysates were prepared from cultured cells using lysis buffer (1 E-cadherin promoter is a frequent event in both AML and ALL. ... clincancerres:aacrjournals.org/cgi/reprint/6/11/4243.pdf - Similar pages .

Mayo Clinic Proceedings

On univariate analysis, parameters at diagnosis that were associated with Median time to AML transformation was 13.8 years, and median time to MMM was ... www.mayoclinicproceedings.com/inside.asp?AID=1629&UID= - 68k -Cached - Similar pages

Survivin and its prognostic significance in pediatric acute B-cell ... All samples were stored briefly in this lysis buffer before analysis. In children with AML high survivin levels, assessed by western blot analysis, ... www.haematologica.org/cgi/content/full/92/8/1043 - Similar pages

Web Images Maps News Shopping Gmail more •

<u>Google</u>

AML and event and buffer and parameter

Advanced Search Search **Preferences**

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web

Results 71 - 80 of about 76.400 for AML and event and buffer and parameter. (0.06 seconds)

4.2 Extended Configuration

8388608. Maximum shared memory segment size (will allow up to a 2MB Mover buffer size) HPSS can share an AML robot with other tape management systems. ...

www.hpss-collaboration.org/hpss/administrators/

docs/HTML/rel5.1.0/management_guide/management-15.html - 52k -

Cached - Similar pages

[PDF] 483-04 B5.doc

File Format: PDF/Adobe Acrobat - View as HTML phosphate buffer gradient elution system (buffer A, 150 mM KH ... In our experiments, we used three human acute myelogenous leukemia (AML) ... www.cmbl.org.pl/pdf/Vol10_p217.pdf - Similar pages

Anti-Cancer Drugs - Fulltext: Volume 18(3) March 2007 p 323-332 ... The negative exponential dose-response survival curves are drawn by linear regression and may be described by a single slope parameter (ID 50 value). AML ... www.anti-cancerdrugs.com/pt/re/anticd/fulltext.00001813-200703000-

00013.htm;jsessionid=FQQD3LKQh9W4vml6tf... - Similar pages

AJHG - Mapping of X-Linked Myxomatous Valvular Dystrophy to ... 1.8±0.4 mm, for PML; P<.0001), longer AML and PML (28.1±2.4 mm vs. ... Since incorrect parameters for linkage analysis may give false results, positive LOD ... www.ajhg.org/AJHG/fulltext/S0002-9297(07)63843-9 - 73k - Cached - Similar pages

CREATELLHATCH.AML: A PROGRAM FOR CREATING ANNOTATED LATITUDE AND ...

This program runs completely within AML and is designed to be system independent. &s latlong_pts_buffered [scratchname -directory] buffer ... gis.esri.com/library/userconf/proc98/proceed/TO300/PAP296/P296.HTM - 54k -Cached - Similar pages

Cancer Cell International | Full text | Functional and structural ...

After incubation, cells were washed with binding buffer and exposed to 1 µg of PI in a These included AML-2 an acute myelogenous leukemia cell line, ...

www.cancerci.com/content/5/1/21 - 92k - Cached - Similar pages

[PDF] C 3: T K : D , ,

File Format: PDF/Adobe Acrobat - View as HTML

All parameters controlling the triggering can be changed easily within. the software. Once a trigger is declared, data (along with a pre-event buffer) is ... www.sci.sdsu.edu/~rmellors/pubs/Thesis Chapter%203.pdf.gz - Similar pages

Maine Geographic Information System

AML includes an extensive set of commands that can be used interactively or in ... The resulting buffer zones form polygons-areas that are either inside or ... apollo.ogis.state.me.us/education/glossary.asp?fs=tin - 89k - Cached - Similar pages

[РРТ] ACPI 3.0: Supporting Advanced Platform Configuration and Power ...

File Format: Microsoft Powerpoint - View as HTML

Provides device configuration parameters for a static or hot plugged PCI device ...

Buffer and string support clarified - not just integers ...

www.acpi.info/presentations/MOBS005_Fall04_IDF_ACPI_Course.ppt -

Similar pages

[PDF] *Department of Biology, Eritrea Institute of Technology, Mainefhi ...

File Format: PDF/Adobe Acrobat - View as HTML

parameters as sensed by comet assay could ... in the buffer for 20 min to allow unwinding of Investigating the. apoptotic events in MDS and AML may ... indjst.org/New%20Folder/mds.pdf - Similar pages